



TRICLAD
CLADDING SYSTEMS



BRANZ Appraised
Appraisal No.1063 [2019]

Triclad Product Catalogue



*A range of exterior plywood cladding products that add a natural
timber beauty and charm to any building project*



BOARD AND BATTEN


Board Code	Length	Width	Thickness
E2440	2440mm	1198mm	12.5mm
E2440P	2440mm	1198mm	12.5mm
E2745	2745mm	1198mm	12.5mm
E2745P	2745mm	1198mm	12.5mm
E3000	3000mm	1198mm	12.5mm
E3000P	3000mm	1198mm	12.5mm
E3300	3300mm	1198mm	12.5mm
E3300P	3300mm	1198mm	12.5mm
E3600	3600mm	1198mm	12.5mm
E3600P	3600mm	1198mm	12.5mm
E3900	3900mm	1198mm	12.5mm
E3900P	3900mm	1198mm	12.5mm
E4200	4200mm	1198mm	12.5mm
E4200P	4200mm	1198mm	12.5mm
E4500	4500mm	1198mm	12.5mm
E4500P	4500mm	1198mm	12.5mm
E4800	4800mm	1198mm	12.5mm
E4800P	4800mm	1198mm	12.5mm
E5100	5100mm	1198mm	12.5mm
E5100P	5100mm	1198mm	12.5mm
E5400	5400mm	1198mm	12.5mm
E5400P	5400mm	1198mm	12.5mm
E5700	5700mm	1198mm	12.5mm
E5700P	5700mm	1198mm	12.5mm
E6000	6000mm	1198mm	12.5mm
E6000P	6000mm	1198mm	12.5mm

Batten Code	Length	Width	Thickness
B40	Random	40mm	19mm
B40P	Random	40mm	19mm
B65	Random	65mm	19mm
B65P	Random	65mm	19mm
B90	Random	90mm	19mm
B90P	Random	90mm	19mm
B45	Random	45mm	45mm
B45P	Random	45mm	45mm



WEATHERBOARD

Weatherboard Code	Length	Width	Thickness
<u>Slimline Weatherboard (12.5mm)</u>			
<u>2.4m</u>			
W14512x2.4	2400mm	145mm	12.5mm
W14512x2.4P	2400mm	145mm	12.5mm
W19012x2.4	2400mm	190mm	12.5mm
W19012x2.4P	2400mm	190mm	12.5mm
W23012x2.4	2400mm	230mm	12.5mm
W23012x2.4P	2400mm	230mm	12.5mm
<u>4.8m</u>			
W14512	4800mm	145mm	12.5mm
W14512P	4800mm	145mm	12.5mm
W19012	4800mm	190mm	12.5mm
W190P	4800mm	190mm	12.5mm
W230	4800mm	230mm	12.5mm
W230	4800mm	230mm	12.5mm
<u>Classic Weatherboard (17.5mm)</u>			
<u>2.4M</u>			
W14517x2.4	2400mm	145mm	17.5mm
W14517x2.4P	2400mm	145mm	17.5mm
W19017x2.4	2400mm	190mm	17.5mm
W19017x2.4P	2400mm	190mm	17.5mm
W23017x2.4	2400mm	230mm	17.5mm
W23017x2.4P	2400mm	230mm	17.5mm
W26017x2.4	2400mm	260mm	17.5mm
W26017x2.4P	2400mm	260mm	17.5mm
W29517x2.4	2400mm	295mm	17.5mm
W29517x2.4P	2400mm	295mm	17.5mm
<u>4.8M</u>			
W14517	4800mm	145mm	17.5mm
W14517P	4800mm	145mm	17.5mm
W19017	4800mm	190mm	17.5mm
W19017P	4800mm	190mm	17.5mm
W23017	4800mm	230mm	17.5mm
W23017P	4800mm	230mm	17.5mm
W26017	4800mm	260mm	17.5mm
W26017P	4800mm	260mm	17.5mm
W29517	4800mm	295mm	17.5mm
W29517P	4800mm	295mm	17.5mm



SCRIBER, FASCIA, AND CAVITY BATTEN

Scriber – Bandsawn 4 Sides

Code	Length	Width	Thickness
S4019	Random	40mm	19mm
S4019P	Random	40mm	19mm



Fascia Bandsawn with Grooves

Code	Length	Width	Thickness
F190x2.4	2400mm	190mm	17.5mm
F19x2.4P	2400mm	190mm	17.5mm
F230x2.4	2400mm	230mm	17.5mm
F230x2.4P	2400mm	230mm	17.5mm
F260x2.4	2400mm	260mm	17.5mm
F260x2.4P	2400mm	260mm	17.5mm
F295x2.4	2400mm	295mm	17.5mm
F295x2.4P	2400mm	295mm	17.5mm



Cavity Batten

Code	Length	Width	Thickness
TCB	5.4M	40mm	19mm




Nails

Code	Soaker Nails
SNG341	Galvanized ¾ Inch 500 per jar
SNSB191.6	Silicon Bronze 19x1.6 200 per jar
SNSS191.6	Stainless Steel 19x1.6 270 per jar

SOAKERS AND ACCESSORIES

Hutlock Soakers

Code	Suits Slimline Weatherboard 12.5mm
SCHC200	Copper Hutlock Corner 200mm
SCHC225	Copper Hutlock Corner 225mm
SCHF200	Copper Hutlock Flat 200mm
SCHF225	Copper Hutlock Flat 225mm
SGHC200	Galvanized Hutlock Corner 200mm
SGHC225	Galvanised Hutlock Corner 225mm
SGHC250	Galvanised Hutlock Corner 250mm
SGHF200	Glavanised Hutlock Flat 200mm
SGHF225	Galvanised Hutlock Flat 225mm
SGHF250	Galvanised Hutlock Flat 250mm
SSHC200	Stainless Hutlock Corner 200mm
SSHF200	Stainless Hutlock Flat 200mm
SAHC200	Aluminum Hutlock Corner 200mm
SAHF200	Aluminum Hutlock Flat 200mm



Hutlock Soakers

Code	Suits Classic Weatherboard 17.5mm
SSBCC200	Copper Hutlock Corner 200mm
SCHC225	Copper Hutlock Corner 225mm
SCHF200	Copper Hutlock Flat 200mm
SCHF225	Copper Hutlock Flat 225mm
SGHC200	Galvanized Hutlock Corner 200mm
SGHC225	Galvanised Hutlock Corner 225mm
SGHC250	Galvanised Hutlock Corner 250mm
SGHF200	Glavanised Hutlock Flat 200mm
SGHF225	Galvanised Hutlock Flat 225mm
SGHF250	Galvanised Hutlock Flat 250mm
SSHC200	Stainless Hutlock Corner 200mm
SSHF200	Stainless Hutlock Flat 200mm
SAHC200	Aluminum Hutlock Corner 200mm
SAHF200	Aluminum Hutlock Flat 200mm



BRANZ Appraised
Appraisal No.1063 [2019]

COATING/PAINT OPTIONS

All of our plywood systems are available primed and unprimed. Products are then available with one topcoat of paint or stain, Note this is not a finished topcoat and will require a further 1-2 coats.



Sustainability

Both Systems are manufactured from timbers grown from sustainable and managed plantation pine forests right here in New Zealand and have been appraised by BRANZ to comply with the New Zealand Building Code requirements.

Fully Stewardship Council certified (FSC)

OUR PARTNERS

